MY LEQEMBI®
APPOINTMENT TRACKER

Use this resource to stay on top of your treatment schedule.

LEQEMBI®
(lecanemab-irmb)

Please see Important Safety Information on pages 3–5.
Click underlined links for Medication Guide with Instructions for Use and full Prescribing Information, including Boxed WARNING.

MY LEQEMBI APPOINTMENT TRACKER

To get the most out of treatment with LEQEMBI, it's important to stay on top of your infusion schedule and healthcare provider appointments. **This tracker is here to help, with 4 sections you can fill out:**

My Care Team

Create a list of the people on your **care team** and record their **contact information**.

My MRI Scans

Keep track of your **MRI** (magnetic resonance imaging) **scans**.

My Treatment Schedule

Keep track of your **LEQEMBI infusions** and note how you're feeling between appointments.

My Other Appointments

Write down any **additional appointments** with your healthcare providers.

Track appointments digitally

See the back cover to learn how the LEQEMBI Companion™ app can help.

WHAT IS LEQEMBI?

LEQEMBI is a prescription medicine used to treat people with early Alzheimer's disease, which includes mild cognitive impairment (MCI) or mild dementia stage of disease.

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about LEQEMBI?

LEQEMBI can cause serious side effects, including: ARIA (Amyloid-Related Imaging Abnormalities). ARIA is a side effect that does not usually cause any symptoms, but serious symptoms can occur. ARIA can be fatal.

- ARIA commonly shows up as temporary swelling in areas of the brain that usually goes away over time
- Small spots of bleeding in or on the surface of the brain can occur
- Less often, larger areas of bleeding in the brain can occur
- Most people with ARIA don't have any symptoms. However, some people may notice:
  - headache
  - confusion that gets worse
  - dizziness
  - vision changes
  - nausea
  - difficulty walking
  - seizures
  - difficulty speaking
  - muscle weakness
- Some people have a gene called ApoE4 that may increase the risk of ARIA. Talk to your healthcare provider about testing to see if you have this gene

What is the most important information I should know about LEQEMBI?

- You may be at a higher risk of developing bleeding in the brain if you take medicines to reduce blood clots from forming (antithrombotic medicines) while receiving LEQEMBI. Talk to your healthcare provider to see if any of the medicines you're taking increase this risk
- Your healthcare provider will check for ARIA with MRI (magnetic resonance imaging) scans before you start LEQEMBI and during treatment
- You should carry information that says you are receiving LEQEMBI, which can cause ARIA, and that ARIA symptoms can look like stroke symptoms

Call your healthcare provider or go to the nearest hospital emergency room right away if you have any of the symptoms listed on page 3.

Serious allergic reactions:
Do not receive LEQEMBI if you have serious allergic reactions to LEQEMBI, LEQEMBI IQLIK, or any of the ingredients.

- Tell your healthcare provider if you notice any symptoms during or after a LEQEMBI infusion, including:
  - swelling of the face, lips, mouth, or tongue
  - itchy bumps on the skin, also known as hives
  - difficulty breathing

Infusion-related reactions:

- Infusion-related reactions can occur during or after completion with LEQEMBI injection into a vein (intravenously), which can be serious. Tell your healthcare provider right away if you notice any of these symptoms:
  - fever
  - flu-like symptoms (chills, body aches, feeling shaky, joint pain)
  - nausea and/or vomiting

- dizziness or lightheadedness
- fast or slow heart rate, or feeling like your chest is pounding
- difficulty breathing or shortness of breath
- changes in blood pressure

- If you have an infusion-related reaction, your healthcare provider may give you medicines before your next infusion to lower the chance of having a reaction

Injection-related reactions:

- Injection-related reactions may occur with LEQEMBI injection under the skin (subcutaneous injection with LEQEMBI IQLIK). Tell your healthcare provider if you notice any of these symptoms during or after an injection:
  - redness, swelling, heat, pain, itching, rash, bruising, and blood collection under the skin at the injection site
  - headache, fatigue, or fever may also be observed after an injection

The most common side effects of LEQEMBI include infusion-related reactions, ARIA, and headaches.

These are not all the possible side effects of LEQEMBI. Call your doctor for more information and medical advice about side effects. You may report side effects to the FDA at www.fda.gov/medwatch or call 1-800-FDA-1088.

Before receiving LEQEMBI, tell your healthcare provider about:

- **All your medical conditions**, including if you are pregnant, breastfeeding, or plan to become pregnant or breastfeed. It is not known if LEQEMBI could harm your unborn or breastfeeding baby
- **All the medicines you take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Especially tell your healthcare provider if you take medicines to reduce blood clots from forming (antithrombotic medicines, including aspirin)

LEQEMBI (lecanemab-irmb) is available as:

- Intravenous infusion: 100 mg/mL
- Subcutaneous injection: 200 mg/mL

MY CARE TEAM

Fill out the information below to keep your treatment team's contact details in one place.

LEQEMBI Prescriber

Name: _____ Address: _____

Phone: _____ _____

Infusion Nurse

Name: _____ Address: _____

Phone: _____ _____

Primary Care Physician

Name: _____ Address: _____

Phone: _____ _____

Additional Care Team Members

Name/Role: _____ **Address:** _____

_____ _____

Phone: _____ _____

Name/Role: _____ **Address:** _____

_____ _____

Phone: _____ _____

Name/Role: _____ **Address:** _____

_____ _____

Phone: _____ _____

MY MRI SCANS

ARIA (amyloid-related imaging abnormalities) is a potential side effect of treatments like LEQEMBI (see pages 3-4 to learn about ARIA and the symptoms). Your healthcare provider will check for ARIA with MRI scans before you start LEQEMBI and during treatment.

Each MRI will need to be completed and reviewed by your healthcare provider before your next infusion. See the full MRI schedule below and use the space provided to keep track of each appointment.

You'll get an MRI scan before starting LEQEMBI

MY MRI SCHEDULE DURING TREATMENT

Your healthcare provider will check for ARIA with MRI scans about **1 week before** your 3rd, 5th, 7th, and 14th infusions



Your exact MRI schedule will be determined by your healthcare provider and may include additional MRIs

Example MRI Appointment	
Day:	Wednesday, July 10
Time:	9:30 AM
Location:	Johnson Imaging 58 Maplewood Drive

Note the date and time of your appointment. Writing down the day of the week may be helpful, too.

Note the location of the MRI scan.

MRI #1	
Day:	Time:
Location:	

MRI #2	
Day:	Time:
Location:	

MRI #3	
Day:	Time:
Location:	

MRI #4	
Day:	Time:
Location:	

MY TREATMENT SCHEDULE

Initially, you'll receive LEQEMBI infusions twice monthly (once every 2 weeks).

After 18 months of infusions, you may have the option of starting maintenance treatment. You and your healthcare provider will determine if you can switch to less-frequent, once-monthly (once every 4 weeks) infusions or once-weekly (once every 7 days) at-home injections with LEQEMBI IQLIK™. LEQEMBI IQLIK is an injection given under the skin (a subcutaneous injection) by you or a care partner.

Initial Treatment Schedule

First 18 months

Twice-monthly infusions
(once every 2 weeks)

&

You will get an **MRI scan to monitor for ARIA** before starting LEQEMBI, and MRI scans about **1 week before** your 3rd, 5th, 7th, and 14th infusions. Your exact schedule will be determined by your healthcare provider and may include additional MRIs.

Maintenance Treatment Schedule

After 18 months

Once-monthly infusion
(once every 4 weeks)

or

Once-weekly, at-home injection
(once every 7 days)

Please see Important Safety Information on pages 3–5. Click underlined links for Medication Guide with Instructions for Use and full Prescribing Information, including Boxed WARNING.

LEQEMBI® (lecanemab-irmb)

Infusion Center Information
Address:
Phone:
Parking Details:

Example Infusion	
Day: Tuesday, August 15	**Time:** 2:30 PM
Reminders: Arrive 15 min early Talk to Nurse Sarah about how to plan my infusions with my vacation coming up	
Note(s) for Care Team:	

Note the date and time of your appointment. Writing down the day of the week may be helpful, too.

Note anything you may want to remember or questions you have.

Note how you're feeling and any side effects that may come up between treatments so you can share with your healthcare provider.

Make sure you know about serious allergic reactions:

Swelling of the face, lips, mouth, or tongue, itchy bumps on the skin, also known as hives, or difficulty breathing have happened during a LEQEMBI infusion.

Tell your healthcare provider if you have any symptoms of a serious allergic reaction during or after your LEQEMBI infusion.

MY TREATMENT SCHEDULE

You'll need an MRI scan about 1 week before your 3rd, 5th, 7th, and 14th infusions. Your exact MRI schedule will be determined by your healthcare provider and may include additional MRIs. Use the tracker on **pages 8-9** to stay on top of your appointments.

Make sure you know about infusion-related reactions:

These include fever, flu-like symptoms (chills, body aches, feeling shaky, and joint pain), nausea and/or vomiting, dizziness or lightheadedness, fast or slow heart rate, or feeling like your chest is pounding, difficulty breathing or shortness of breath, and changes in your blood pressure.

Injection-related reactions are a possible side effect of LEQEMBI IQLIK

Redness, swelling, heat, pain, itching, rash, bruising, and blood collection under the skin at the injection site may be observed. Headache, fatigue, or fever may also be observed after an injection.

Tell your healthcare provider or infusion care team right away if you experience any of these symptoms. They can tell you what to do and if medicine may help.

MY TREATMENT SCHEDULE

Infusion #1		Infusion #2	
Day:	Time:	Day:	Time:
Reminders:		Reminders:	
Note(s) for Care Team:		Note(s) for Care Team:	

Infusion #3		Infusion #4	
Day:	Time:	Day:	Time:
Reminders:		Reminders:	
Note(s) for Care Team:		Note(s) for Care Team:	

MY TREATMENT SCHEDULE

Infusion #5		Infusion #6	
Day:	Time:	Day:	Time:
Reminders:		Reminders:	
Note(s) for Care Team:		Note(s) for Care Team:	

Infusion #7		Infusion #8	
Day:	Time:	Day:	Time:
Reminders:		Reminders:	
Note(s) for Care Team:		Note(s) for Care Team:	

MY TREATMENT SCHEDULE

Infusion #9		Infusion #10	
Day:	Time:	Day:	Time:
Reminders:		Reminders:	
Note(s) for Care Team:		Note(s) for Care Team:	

Infusion #11		Infusion #12	
Day:	Time:	Day:	Time:
Reminders:		Reminders:	
Note(s) for Care Team:		Note(s) for Care Team:	

MY TREATMENT SCHEDULE

Infusion #13		Infusion #14	
Day:	Time:	Day:	Time:
Reminders:		Reminders:	
Note(s) for Care Team:		Note(s) for Care Team:	

Infusion #15		Infusion #16	
Day:	Time:	Day:	Time:
Reminders:		Reminders:	
Note(s) for Care Team:		Note(s) for Care Team:	

MY TREATMENT SCHEDULE

Infusion #17		Infusion #18	
Day:	Time:	Day:	Time:
Reminders:		Reminders:	
Note(s) for Care Team:		Note(s) for Care Team:	

Infusion #19		Infusion #20	
Day:	Time:	Day:	Time:
Reminders:		Reminders:	
Note(s) for Care Team:		Note(s) for Care Team:	

MY TREATMENT SCHEDULE

Infusion #21		Infusion #22	
Day:	Time:	Day:	Time:
Reminders:		Reminders:	
Note(s) for Care Team:		Note(s) for Care Team:	

Infusion #23		Infusion #24	
Day:	Time:	Day:	Time:
Reminders:		Reminders:	
Note(s) for Care Team:		Note(s) for Care Team:	

Please see Important Safety Information on pages 3–5. Click underlined links for Medication Guide with Instructions for Use and full Prescribing Information, including Boxed WARNING.

LEQEMBI® (lecanemab-irmb)

MY TREATMENT SCHEDULE

Infusion #25		Infusion #26	
Day:	Time:	Day:	Time:
Reminders:		Reminders:	
Note(s) for Care Team:		Note(s) for Care Team:	

Infusion #27		Infusion #28	
Day:	Time:	Day:	Time:
Reminders:		Reminders:	
Note(s) for Care Team:		Note(s) for Care Team:	

MY TREATMENT SCHEDULE

Infusion #29		Infusion #30	
Day:	Time:	Day:	Time:
Reminders:		Reminders:	
Note(s) for Care Team:		Note(s) for Care Team:	

Infusion #31		Infusion #32	
Day:	Time:	Day:	Time:
Reminders:		Reminders:	
Note(s) for Care Team:		Note(s) for Care Team:	

MY TREATMENT SCHEDULE

Infusion #33		Infusion #34	
Day:	Time:	Day:	Time:
Reminders:		Reminders:	
Note(s) for Care Team:		Note(s) for Care Team:	

Infusion #35		Infusion #36	
Day:	Time:	Day:	Time:
Reminders:		Reminders:	
Note(s) for Care Team:		Note(s) for Care Team:	

MY TREATMENT SCHEDULE

After receiving LEQEMBI infusions for 18 months, you may have the option of starting maintenance treatment.

ONCE-WEEKLY, AT-HOME INJECTIONS
(once every 7 days)

OR

ONCE-MONTHLY INFUSIONS
(once every 4 weeks)

Your healthcare provider can help you choose the best option for you.

NOTES

You can use these pages to write down any questions to ask your healthcare provider. Bring them with you to your next appointment.

MY OTHER APPOINTMENTS

Use this section to keep track of any additional healthcare provider visits.

Example Appointment	
Day: Monday, October 8	**Time:** 1:00 PM
Healthcare Provider: Dr. Patel	
Appointment Type and Location: Follow-up visit at doctor's office	
Reminders: Bring list of questions to ask	

Note the date and time of your appointment. Writing down the day of the week may be helpful, too.

Note the name of the person you're seeing.

Note the purpose and location of the appointment.

Note anything your healthcare provider may have told you to keep in mind for the appointment.

Appointment	
Day:	**Time:**
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	Time:
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	**Time:**
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Appointment	
Day:	**Time:**
Healthcare Provider:	
Appointment Type and Location:	
Reminders:	

Need more pages?

Visit **LEQEMBI.com/Tracker** to download and print out as many copies as you need.

NOTES

NOTES

LEQEMBI Companion™

Stay on track with the free LEQEMBI Companion™ app

See what to expect with infusions, set customized reminders for your appointments, and more. Visit LEQEMBI.com/CompanionAppSignUp to learn more about all the app has to offer.

How to get started

Download on the App Store

GET IT ON Google Play

1. Scan or tap the QR code, then tap the **pop-up banner**
2. Tap "**Get**" or "**Install**" to download Medisafe
3. Follow the prompts and **tap "Get Started"**
4. If prompted, enter the **verification code HWB8**

Medisafe

This will direct you to the Medisafe app. From there, you will select LEQEMBI as your treatment.

You do not need to be enrolled in the LEQEMBI Companion™ program to download and use the app.

Please see Important Safety Information on pages 3-5. Click underlined links for Medication Guide with Instructions for Use and full Prescribing Information, including Boxed WARNING.

Eisai

Biogen